

# Lipari 41

## LIPARI 41 GRAND LARGE INVENTORY

### General characteristics:

L.O.A.: ..... 11.95 m / 39.21 ft  
 L.W.L. : ..... 11.82 m / 38.78 ft  
 Bmax. : ..... 6.75 m 22.15 ft  
 Draft: ..... 1.10 m / 3.61 ft  
 Air draft: ..... 17.56 m / 57.61m  
 Full load displacement: ..... 9 800 kg

#### Sail area:

- Genoa: ..... 33 m<sup>2</sup> / 355 sq ft (approx.)
- Mainsail : ..... 56 m<sup>2</sup> / 602 sq ft (approx.)

Engines : ..... 2 x 20 cv / 2 x 14.70 kW

#### Tank capacities:

Freshwater : ..... 2 x 265 l (approx.) / 2 x 70 US gallon (approx.)  
 Diesel : ..... 300 l (approx.) / 2 x 79.23 US gallon (approx.)

#### Boat CE certified:

category A : 8 pers., category B : 10 pers., category C : 12 pers., category D : 15 pers.

**Architect and Designer : ..... Cabinet Joubert / Nivelt**

## Interior layout :

### General :

- Woodwork With Alpi tinted wild cherry tree
- Saloon / cabin flooring: parquet Wenge color
- Lining on rot proof glass felt
- Sofa cushions leather style, chocolate color
- Polyeter foam mattresses

## Saloon layout :

### Saloon :

- Saloon accessible through a sliding Altuglas door (1 leaf) with entrance mat
- Panoramic view through picture windows and aft-facing porthole
- 1 wooden table for 8 people, 1 bench seat for 6, 2 folding seats
- 2 large shelves under bench seat
- Ventilation via 2 big front-opening hatches
- Halogen spotlighting

### Galley:

- Sink work top in gelcoat and synthetic resin, and large work top over refrigerator
- Top of bar with serving hatch
- Pressurized hot and cold freshwater from mixer faucet
- 2 stainless steel sinks
- 1 draining board
- Large lower stowage locker under sink
- 1 top accessed trash can, bags removed through separate door
- 1 x 3 burner stove with pan holder
- 1 drawer with cutlery stowage
- 1 cupboard under burner stove
- 1 stainless steel gas oven
- 1 cupboard into oven furniture
- Cold storage volume 190l
- Cold storage cooled by a 12V refrigeration system
- 1 large corner locker above freezer storage unit
- 1 upper cupboard (cockpit entrance)
- Ventilation by 1 opening hatch above stove top
- Main lighting - halogen spotlights

### Chart table:

- Wooden chart table
- Double stowage shelf under tray
- Console for 12 V electrical panel and navigation instruments, including a stowage space above the chart table
- 1 x 12 V socket

## Hull layout : "QUATUOR" version

*2 double cabins + 1 bathroom in each hull*

### Aft cabin:

- Access in passageway through wooden door
- Double bed (1,50 / 1,60 x 2 m approx.)
- 1 large front-accessed stowage spaces under bed
- 1 cupboard with inside shelves (port hull)
- Shelf above bed
- 1 hanging closet with shelves inside
- 1 coat hook
- Ventilation by 1 deck hatch and 1 aft porthole
- 1 non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via 1 halogen spotlight and 2 bedside reading lights

### Shower room :

- Access through wooden door
- Counter top with built-in washbasin and mirror
- Hot & cold fresh water with mixer faucet and built-in hand-held shower
- Shower with electric drainage pump
- Bathroom accessories (toilet tissue holder + towel rail)
- 1 storage space under washbasin
- 2 coat hooks
- Ventilation by 1 deck hatch
- Neon lighting

### Separate marine toilet:

- Access through wooden door
- Manual marine toilet
- 1 storage space
- Neon lighting

### Forward cabin :

- Access in passageway through wooden door
- Double bed (1,60 / 1,35 x 2 m approx.)
- 1 large front accessed stowage locker under bed
- 1 large hanging closet with shelf
- 1 large locker above bed
- 1 coat hook
- Ventilation 1 porthole + 1 deck hatch + 1 escape hatch
- 1 non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via 1 halogen spotlight and 2 bedside reading lights

**Fore peak:**

- Access via forward cabin through wooden door
- Fully painted with gelcoat finish
- Buoyancy reserve under half-height shelf.

## Hull layout : « MAESTRO » Version

Access to starboard Owner's suite through wooden sliding door and 2 double cabins to port.

---

### *Starboard hull : Owner's suite*

---

#### **Sleeping space :**

- Double bed (1,60/1,50 x 2 m approx.)
- 2 large drawers under bed with front access
- 1 shelf above bed
- 1 coat hook
- Ventilation by 1 deck hatch and 1 aft porthole
- 1 non-opening outward-facing picture window
- Curtains on all openings
- Main lighting by 1 halogen spotlight and 2 bedside reading lights

#### **Library space :**

- Large wooden bookcase
- Wooden desk
- Wooden console
- Large storage furniture
- Ventilation by 1 deck hatch
- Main lighting by 1 halogen spotlight and 1 reading light

#### **Dressing :**

- 1 Large hanging closet
- 1 large cupboard with shelves
- Ventilation by 1 escape hatch opening under bridge deck
- Main lighting by 1 halogen spotlight

#### **Bathroom :**

- Access through wooden door from dressing
- Counter top with washbasin and mirror
- Hot and cold water by mixer faucet with built-in shower fitting
- 1 large closet with shelves inside
- Manual marine toilet
- Bathroom accessories (toilet tissue holder + towel holder)
- Separate shower via Altuglas door with electric drainage pump
- 1 non-opening outward-facing picture window
- Ventilation by 1 deck hatch
- 1 neon light

#### **Front premises :**

- Access via forward cabin through a door
- Fully painted with gelcoat finish
- Buoyancy reserve under half-height shelf.

---

*Port hull : 2 double cabins + 1 bathroom*

---

**Aft cabin:**

- Access through wooden door in passageway
- Double bed (1,60/1,50 x 2 m approx.)
- 1 large storage under bed with front access
- 1 cupboard with inside shelves
- 1 shelf above bed
- 1 coat hook
- Ventilation via 1 deck hatch + 1 aft porthole
- 1 non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via 1 halogen spotlight and 2 bedside reading lights

**Bathroom :**

- Access through wooden door
- Counter top with built-in washbasin and mirror
- Hot & cold fresh water with mixer faucet and built-in hand-held shower
- Shower with electric drainage pump
- Manual marine toilet
- Bathroom accessories (toilet tissue holder + towel rail)
- 1 storage space under washbasin
- 1 shelf above washbasin
- Ventilation by 1 deck hatch
- 1 neon light

**Forward cabin :**

- Access in passageway through wooden door
- Double bed (1,60 / 1,30 x 2 m approx.)
- 1 large front accessed stowage locker under bed
- 1 large hanging closet with shelves
- 1 shelf above bed
- 1 coat hook
- Ventilation by 1 porthole + 1 deck hatch + 1 escape hatch
- 1 non-opening outward-facing picture window
- Curtains on all openings
- Main lighting via 1 halogen spotlight and 2 bedside reading lights

**Fore peak:**

- Access via forward cabin through wooden door
- Fully painted with gelcoat finish
- Buoyancy reserve under half-height shelf.

## Deck layout :

Cockpit entirely protected by a rigid bimini. Circulation without threshold towards the saloon.

### Cockpit:

- 8-persons bench seat + 3-persons bench seat
- 1 cockpit table
- 1 locker into aft bench seat
- 1 gas locker

### Helm station :

- Double polyester helmsman seat built-in bimini
- Armrest
- Large instrument console
- Bin for halyards

### Foredeck:

- 1 large foredeck locker divided into 3 compartments (2 for mooring gear) with halyard tail stowage at bottom of mast

### Engine holds :

- Accessed via polyester deck hatch on aft transom
- Sound proofing
- Neon lighting

---

## Motorisation

---

### Engines and equipment:

- 2 x 20 hp sail drive engines
- 2 x 2-blade propellers
- Saltwater filter
- Engine cooling by heat exchanger
- Complete engine panel and dual controls at helm station
- Hourmeter

### Fuel system :

- 1 fuel tank with filling by plug-hole on bridge
- Electric fuel gauge (indicator on 12 Volt panel)
- 1 fuel pre-filter / water separator + 1 engine fuel filter/engine
- Fuel shutoff valves

---

### *Plumbing*

---

- 2 Freshwater tanks with electric gauge
- 1 electric pump and pressure accumulator
- 1 water heater 24 l
- 1 electrical bilge pump (2 m3/h) in each engine hold
- 1 electric bilge and shower pump (2m3/h) in each hull (3 way cock selection)
- 1 manual exterior bilge pump

---

### *Electricity / Electronics*

---

#### **Power system:**

- 2 x 115A/12V engine alternators
- 1 set port onboard/engine batteries of 300Ah
- 1 starboard engine battery of 100Ah
- 1 charging power relay
- Manual back-up link

#### **12V electrical distribution panel:**

- General 12V distribution panel at chart table protected by circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment

---

### *Rigging and sails*

---

#### **Mast and boom:**

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 two-part tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- lazy-jacks
- clutches on all halyards and topping lift
- clutches on reef pennants
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

#### **Sails:**

- full-batten mainsail with CST in Dacron
- Roller genoa furler
- Genoa



## Fittings

### Mainsail and genoa :

- 1 mainsheet tackle led aft to coach roof
- Ball bearing mainsheet traveler
- 2 x tackle on mainsheet traveler clutches
- 2 genoa tracks with lead block
- 2 genoa sheets
- 2 size 44 STC self-tailing winches for genoa sheets and halyards
- 1 size 40 self-tailing winch for main sheet and traveller

### Other equipment:

- « push-pull » steering system with leather covered steering wheel helm
- 2 rudders mechanically linked by stock levers and transversal tube
- 1 emergency tiller
- 1 steering compass
- 2 winch handles, 2 pockets
- Pulpits and pushpits, stanchions with upper and lower guard rails
- Access to transoms
- 1 swim ladder in port transom
- 1 cold water shower in port transom
- Support for liferaft with direct exit to the sea
- 7 mooring cleats ( 2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- Deck molding
- 6 fenders
- 2 x 50 ft long dark blue mooring lines
- 1 -1000 W electric windlass with circuit breaker protection
- Anchor exit under bridgedeck with bridle included
- 1 stemhead fitting on forward beam
- Anchor fairlead for Danforth and plow anchor
- Forward net on forward beam
- 1 kit of spare parts

***All dimensions are given as a rough guide only.***